



European Journal of Histochemistry

SUPPLEMENTARY MATERIAL

DOI: [10.4081/ejh.2021.3297](https://doi.org/10.4081/ejh.2021.3297)

Long noncoding RNA H19 accelerates tenogenic differentiation by modulating miR-140-5p/VEGFA signaling

You-Jie Liu,¹ Hua-Jun Wang,¹ Zhao-Wen Xue,¹ Lek-Hang Cheang,² Man-Seng Tam,³
Ri-Wang Li,¹ Jie-Ruo Li,¹ Hui-Ge Hou,¹ Xiao-Fei Zheng¹


¹Department of Orthopedic Surgery and Sports Medicine Center, The First Affiliated Hospital and The First Clinical College, Jinan University, Guangzhou

²Macau Medical Science & Technology Research Association Macau

³IAN WO Medical Center, Macau Special Administrative Region, Macau, China

Correspondence: Xiao-Fei Zheng, Department of Orthopedic Surgery and Sports Medicine Center, The First Affiliated Hospital, and The First Clinical College, Jinan University, Guangzhou, China. E-mail: zhengxiaofei12@163.com

Key words: lncRNA; miRNA; tendon stem cell; rotator cuff tear repair.



Supplementary Figure 1.

Enlarged images of (A) Figure 1B, (B) Figure 1E, (C) Figure 2D and (D) Figure 4D. Scale bar: 20 μm .