



European Journal of Histochemistry

SUPPLEMENTARY MATERIAL

DOI: [10.4081/ejh.2023.3413](https://doi.org/10.4081/ejh.2023.3413)

DPY30 promotes the growth and survival of osteosarcoma cell by regulating the PI3K/AKT signal pathway

Gong Cheng,^{1*} Fengmin An,^{2*} Zhilin Cao,¹ Mingdi Zheng,¹ Zhongyuan Zhao,¹ Hao Wu¹

¹Department of Orthopedics, Yantaishan Hospital, Yantai City, Shandong Province

²Department of Sports Medicine, Yantai Affiliated Hospital of Binzhou Medical University, Yantai City, Shandong Province, China

*Gong Cheng and Fengmin An are co-first authors

Correspondence: Hao Wu, Department of Orthopedics, Yantaishan Hospital, No. 10087 Science and Technology Avenue, Laishan District, Yantai City 246003, Shandong Province, China. Tel. +86.0535.6863159. E-mail: whgt125@163.com

Key words: Osteosarcoma; DPY30; PI3K/AKT signal pathway.

Supplementary Figure 1.

Control IHC staining in OS tumor samples. The clinical OS samples were subjected to staining anti-DPY30 (A) or anti-Ki67 antibody (B). The corresponding IgG isotype was used as negative control for staining. Only anti-DPY30 or anti-Ki67 antibody-stained samples showed signals, while IgG isotype staining showed no detectable signals.

